

- 173 **2014 MACK CHU613 Non-Sleeper Conventional**, Mack MP8 Engine, 445 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Stainless Steel Exterior Visor, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Air Slide 5th, 220 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front & Outside Rear

\$ _____

- 175 **2013 FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Detroit DD15 Engine, 475 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 238 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front & Outside Rear

\$ _____

- 176 **2014 MACK CHU613 Non-Sleeper Conventional**, Mack MP8 Engine, 505 H.P., Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Dual Chrome Stacks, Stainless Steel Exterior Visor, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 228 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front & Outside Rear

\$ _____

- 177 **2014 KENWORTH T-660 Conventional**, 62 Inch Flat-Top Sleeper, PACCAR Engine, 455 H.P., Engine Brake, Automatic Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof Air Fairing, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 212 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front

\$ _____

- 178 **2013 VOLVO VNL 670 Conventional**, Volvo D13 Engine, 455 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 221 Inch Wheel Base, 11R22.5 Disc Wheels

\$ _____

- 181 **2015 VOLVO VNL 670 Conventional**, Volvo D13 Engine, 475 H.P., Engine Brake, I-Shift Transmission, 40,000 Lb. Rear Ends, 2.47 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 222 Inch Wheel Base, 11R22.5 Aluminum Disc Wheels

\$ _____

- 183 **2014 FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Detroit DD15 Engine, 455 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 11R22.5 Disc Wheels

\$ _____

- 184 2012 **VOLVO VNL 670 Conventional**, Volvo D13 Engine, 475 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 216 Inch Wheel Base, 11R22.5 Disc Wheels \$ _____
- 185 2011 **VOLVO VNL 670 Conventional**, Volvo D13 Engine, 425 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 216 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front & Outside Rear \$ _____
- 186 2011 **VOLVO VNL 670 Conventional**, Volvo D13 Engine, 475 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 221 Inch Wheel Base, 11R22.5 Disc Wheels \$ _____
- 187 2014 **FREIGHTLINER Cascadia113 Conventional**, 72 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 450 H.P., Engine Brake, FO-16E310C Automatic Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, P.T.O., Air Slide 5th, 230 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels \$ _____
- 188 2007 **PETERBILT 379 UltraCab Extended Hood Conventional**, 63 Inch Unibilt Stand-Up Sleeper, Caterpillar C15 Engine, Engine Brake, 13 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Chrome Stack, Dual Stainless Steel Air Cleaners, Stainless Steel Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 265 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front & Outside Rear \$ _____
- 189 2014 **MACK CXU613 Conventional**, 70 Inch Raised Roof Sleeper, Mack MP8 Engine, 445 H.P., Engine Brake, Automatic Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Stainless Steel Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 238 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front \$ _____
- 190 2015 **KENWORTH T-680 Conventional**, 76 Inch High Roof Sleeper, PACCAR Engine, 455 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 233 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels \$ _____

- 191 2014 FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Cummins ISX Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 228 Inch Wheel Base, 11R22.5 Disc Wheels \$ _____

- 192 2013 INTERNATIONAL ProStar113 Conventional**, 56 Inch Hi-Rise Sleeper, Diesel MaxxForce 13 Engine, Engine Brake, 10 Speed Transmission, 20,000 Lb. Rear End, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 216 Inch Wheel Base, 22.5 Low Profile Tires Front, 22.5 Super Single Tires Rear, Aluminum Disc Wheels \$ _____

- 193 2015 FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Detroit DD15 Engine, 455 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.36 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, 230 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ _____

- T-106 2006 GREAT DANE Aluminum Van**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Front Vent, Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Disc Wheels \$ _____

- T-107 2012 UTILITY 3000R Aluminum Reefer**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Door Frame, Stainless Steel Front Radius Panels, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels \$ _____

- T-108 2009 UTILITY Aluminum Reefer**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier 2100A Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Door Frame, Stainless Steel Front Radius Panels, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels \$ _____

- T-109 2011 GREAT DANE Aluminum Reefer**, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King Spectrum SB Unit, Aluminum Flat Floor, E-Track, Stainless Steel Door Frame, Rollup Door, Liftgate, Spring Suspension, Sliding Tandem, 11R22.5 Disc Wheels \$ _____

- T-110 2005 WABASH Aluminum Reefer**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SBIII SR+ Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Rear, Cold Chute, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Disc Wheels, Aluminum Discs Outside \$ _____