

- 237 1995 **WHITEGMC WIA64TES Conventional**, 56 Inch Sleeper, Cummins N14 Engine, 350 H.P., 9 Speed Transmission, 3.70 Ratio, Air Ride Suspension, Chrome Bumper, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Cab Extenders, Cruise Control, Hydraulic Wetline Kit, P.T.O., Air Slide 5th, 214 Inch Wheel Base, 11R24.5 Disc Wheels, Aluminum Discs Front & Outside Rear \$ \_\_\_\_\_
- 238 2013 **PETERBILT 587 Conventional**, Premium Length High Roof Sleeper, Cummins ISX15 Engine, 400 H.P., Engine Brake, 10 Speed Transmission, Air Ride Suspension, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 242 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Front & Outside Rear \$ \_\_\_\_\_
- 239 2015 **FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Detroit DD15 Engine, 455 H.P., Automatic Transmission, 3.25 Ratio, Air Ride Suspension, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Quarter Fenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 233 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 240 2015 **FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Upper Bunk, Detroit DD15 14.8 Liter Engine, 455 H.P., Engine Brake, Automatic Transmission, 3.25 Ratio, Air Ride Suspension, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 242 2014 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 445 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 243 2014 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 445 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 244 2014 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, PACCAR Engine, 445 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_

- 247     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 445 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_
- 248     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 455 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_
- 250     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 455 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_
- 251     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, PACCAR Engine, 445 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Chrome Bumper, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_
- 252     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 455 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_
- 253     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 455 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_
- 254     2015 **PETERBILT 579 Conventional**, 80 Inch High Roof Sleeper, Upper Bunk, PAC-CAR Engine, 455 H.P., Engine Brake, 10 Speed Transmission, **Single Drive Axle With Air Tag Axle**, Air Ride Suspension, Chrome Bumper, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 235 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels     \$ \_\_\_\_\_



- 262 1993 FREIGHTLINER FL112 Conventional**, Cummins Engine, 290 H.P., 9 Speed Transmission, 3.42 Ratio, Spring Suspension, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Side Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, Stationary 5th, 153 Inch Wheel Base, 11R22.5 Disc Wheels \$ \_\_\_\_\_
- 263 2013 INTERNATIONAL ProStar122 Conventional**, 73 Inch Hi-Rise Sleeper, Diesel MaxxForce13 Engine, 430 H.P., Engine Brake, 10 Speed Transmission, Air Ride Suspension, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 212 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- P-38 2006 INTERNATIONAL 4300 Refrigerated Straight Truck**, Diesel DT-466 Engine, 220 H.P., Automatic Transmission, Spring Suspension, Horizontal Exhaust, AM/FM Radio, Tilt & Telescoping Steering Wheel, Cruise Control, 254 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- P-39 2003 FREIGHTLINER CL120 Columbia Conventional**, Non-Runner, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Power Right Hand Window, Air Slide 5th, 169 Inch Wheel Base, 24.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- P-40 2007 FREIGHTLINER CL120 Columbia Conventional**, Non-Runner, Caterpillar C15 Engine, 435 H.P., Engine Brake, Automatic UltraShift Transmission, 3.42 Ratio, Single Stack, Exterior Visor, Cab Extenders, 179 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- P-41 2007 INTERNATIONAL 4300 Straight Truck**, Non-Runner, DT-466 Engine, Automatic Transmission, 17,500 Lb. Rear End, Single Axle, Spring Suspension, Dual Fuel Tanks, Horizontal Exhaust, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Translucent Roof, E-Track, Liftgate, 272 Inch Wheel Base, 11R22.5 Disc Wheels \$ \_\_\_\_\_
- T-63 2001 WABASH DuraPlate Van**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Front & Rear Vents, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- T-64 1997 WABASH Aluminum Plate Van**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Front & Rear Vents, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- T-65 2005 UTILITY Aluminum Reefer**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Heavy Duty Floor, Scuff Plate, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 11R22.5 Disc Wheels \$ \_\_\_\_\_
- T-66 2013 GREAT DANE Aluminum Plate Van**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Front & Rear Vents, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- T-67 2014 GREAT DANE Champion Series Aluminum Van**, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Front & Rear Vents, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_



<b>T-80</b>	<b>2008 GREAT DANE Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Aluminum Floor, Scuff Plate, Stainless Steel Door Frame, Rear Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-81</b>	<b>2009 WABASH Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Stealth Unit, Aluminum Floor, Scuff Plate, Stainless Steel Rear, Stainless Steel Door Frame, Rear Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-82</b>	<b>2008 GREAT DANE Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Aluminum Floor, Scuff Plate, Stainless Steel Door Frame, Rear Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-83</b>	<b>2008 GREAT DANE Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-210 Unit, Aluminum Floor, Scuff Plate, Stainless Steel Door Frame, Rear Vent, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-84</b>	<b>2002 UTILITY Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SBIII SR+ Unit, Heavy Duty Floor, Scuff Plate, Stainless Steel Front, Stainless Steel Door Frame, Front & Rear Vents, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-85</b>	<b>1996 TRANSCRAFT Aluminum And Steel Composite Flatbed</b> , 45 Ft. Long, 102 Inches Wide, Aluminum Floor, Bulkhead, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Double Spool, Air Ride Spread Axle, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
<b>T-86</b>	<b>1994 FRUEHAUF Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Bulkhead, Wood Floor, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-87</b>	<b>2004 NU-VAN Curtainside Aluminum And Steel Composite Flatbed</b> , 53 Ft. Long, 102 Inches Wide, Wood Floor, Sliding Winch Track With Winches, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
<b>T-88</b>	<b>1999 GREAT DANE Aluminum Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Plywood Lined, Scuff Plate, Threshold Plate, Logistics Equipped, Front Vent, Swing Doors, Air Ride Suspension, Sliding Tandem, 24.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-89</b>	<b>1994 FRUEHAUF Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Bulkhead, Wood Floor, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-90</b>	<b>1999 GREAT DANE Aluminum Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Translucent Roof, Plywood Lined, Scuff Plate, Threshold Plate, Logistics Equipped, Front Vent, Stainless Steel Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-91</b>	<b>1995 UTILITY Curtainside Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, 24.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-92</b>	<b>1999 UTILITY Aluminum Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Translucent Roof, Plywood Lined, Scuff Plate, Threshold Plate, Logistics Equipped, Front Vent, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____

<b>T-93</b>	<b>2000 WABASH Aluminum Van</b> , 53 Ft. Long, 102 Inches Wide, Kemlite Lined, Scuff Plate, Threshold Plate, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires	\$ _____
<b>T-94</b>	<b>1978 TRAIL KING Lowboy</b> , 24 Ft. Main Deck, 96 Inches Wide, Ramps, Wood Floor, D Rings, Outriggers, Spring Suspension, 8.25-15 Tires, Disc Wheels	\$ _____
<b>T-96</b>	<b>2009 WABASH Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Floor, Scuff Plate, Stainless Steel Rear, Stainless Steel Door Frame, Rear Vent, Side Skirts, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
<b>T-97</b>	<b>1997 STOUGHTON FRP Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires	\$ _____
<b>T-98</b>	<b>2001 GREAT DANE Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SBIII SR+ Unit, Aluminum Floor, Scuff Plate, Stainless Steel Rear, Stainless Steel Door Frame, Stainless Steel Front Radius Panels, Cold Chute, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-99</b>	<b>2002 UTILITY Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SB-200 Unit, Scuff Plate, Stainless Steel Door Frame, Stainless Steel Front Radius Panels, Front & Rear Vents, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-100</b>	<b>2002 UTILITY Aluminum Reefer</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Thermo King SBIII SR+ Unit, Scuff Plate, Stainless Steel Door Frame, Stainless Steel Front Radius Panels, Front Vent, Cold Chute, Stainless Steel Quilted Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____