

- 152     2012   KENWORTH T-660 Conventional**, 62 Inch FlatTop Sleeper, Cummins ISX15 Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Roof Air Fairing, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 219 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front \$ \_\_\_\_\_
- 153     2012   FREIGHTLINER Cascadia125 Conventional**, 72 Inch Raised Roof Sleeper, Cummins ISX Engine, 400 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, 228 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 154     2007   INTERNATIONAL 9400i Conventional**, 72 Inch Hi-Rise Sleeper, Cummins ISX Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Exterior Visor, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 232 Inch Wheel Base, 11R22.5 Disc Wheels, Aluminum Discs Front \$ \_\_\_\_\_
- 155     2011   FREIGHTLINER Cascadia125 Conventional**, 60 Inch Mid-Roof XT Sleeper, Detroit DD15 Engine, 455 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Roof Air Fairing, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 212 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels \$ \_\_\_\_\_
- 156     2011   PETERBILT 387 Conventional**, Premium Length High Roof Sleeper, Cummins ISX Engine, 425 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Dual Air Cleaners, Exterior Visor, Roof & Side Air Fairings, Cab Extenders, Bunk Heater, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Air Slide 5th, 238 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 157     2013   FREIGHTLINER Cascadia125 Conventional**, 72 Inch Mid-Roof XT Sleeper, Detroit DD13 Engine, 450 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 2.64 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Cab Extenders, Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Auxiliary Power Unit, Adjustable 5th, 227 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_
- 158     2012   FREIGHTLINER Cascadia125 Non-Sleeper Conventional**, Detroit DD15 Engine, 475 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Exterior Visor, Roof Air Fairing, Cab Extenders, Chrome Quarter Fenders, AM/FM Radio, CD Player, Tilt & Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 176 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels \$ \_\_\_\_\_



<b>T-198</b>	<b>1995</b>	<b>FRUEHAUF Aluminum and Steel Composite Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Tie Downs, Double Spool, Air Ride Spread Axle, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-199</b>	<b>1995</b>	<b>TRANSCRAFT Aluminum and Steel Composite Flatbed</b> , 48 Ft. Long, 96 Inches Wide, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Air Ride Spread Axle, 24.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-200</b>	<b>1999</b>	<b>WILSON Aluminum and Steel Composite Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Air Ride Spread Axle, 24.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside	\$ _____
<b>T-201</b>	<b>1997</b>	<b>TRANSCRAFT Aluminum and Steel Composite Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Air Ride Spread Axle, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
<b>T-202</b>	<b>1997</b>	<b>TRANSCRAFT Aluminum and Steel Composite Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Air Ride Spread Axle, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
<b>T-203</b>	<b>1997</b>	<b>WILSON Aluminum and Steel Composite Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Sliding Winch Track With Winches, Double Spool, Air Ride Spread Axle, 22.5 Low Profile Tires, Disc Wheels, Aluminum Discs Outside	\$ _____
<b>T-204</b>	<b>1989</b>	<b>RAVENS Aluminum Flatbed</b> , 48 Ft. Long, 102 Inches Wide, Aluminum Floor, Nail Strips, Tie Downs, Sliding Winch Track With Winches, Air Ride Spread Axle, 24.5 Low Profile Tires, Aluminum Disc Wheels	\$ _____
<b>T-205</b>	<b>2012</b>	<b>TIMPTE Aluminum Hopper Bottom Grain</b> , 40 Ft. Long, 102 Inches Wide, 78 Inch Sides, Front & Rear Catwalk, Front & Rear Ladders, Roll Tarp, Two Holes, Stainless Steel Radius Panels, Stainless Steel Rear, Air Ride Suspension, Dump Valve, 11R22.5 Disc Wheels, Aluminum Discs Outside	\$ _____
<b>T-206</b>	<b>2013</b>	<b>TIMPTE Aluminum Hopper Bottom Grain</b> , 40 Ft. Long, 102 Inches Wide, 72 Inch Sides, Front & Rear Catwalk, Front & Rear Ladders, Roll Tarp, Stainless Steel Front, Stainless Steel Rear, Two Holes, Air Ride Suspension, Dump Valve, 11R24.5 Disc Wheels, Aluminum Discs Outside	\$ _____
<b>T-207</b>	<b>2012</b>	<b>HYUNDAI Aluminum Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Front & Rear Vents, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-208</b>	<b>2013</b>	<b>STOUGHTON Aluminum Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Front & Rear Vents, Swing Doors, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____
<b>T-209</b>	<b>1996</b>	<b>EAST End Dump</b> , 24 Ft. Long, 96 Inches Wide, 60 Inch Sides, Air Gate, Roll Tarp, Spring Suspension, 11R22.5 Spoke Wheels	\$ _____
<b>T-210</b>	<b>2002</b>	<b>WABASH DuraPlate Van</b> , 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Wood Floor, Scuff Plate, Threshold Plate, Logistics Equipped, Rollup Door, Air Ride Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels	\$ _____