

 **Taylor & Martin, Inc.**
AUCTIONEERS
An Employee Owned Company

Absolute Public Bankruptcy

AUCTIONS

BUFFALO, NY
Thursday, May 30, 2019

TOLEDO, OH
Monday, June 3, 2019



**10%
Buyer's
Premium**

COLUMBUS, OH
Tuesday, June 4, 2019



600 Aluminum, Plate & Exterior Post Vans
150 Trucks, Vehicles, Misc. Support Units
225 Conventional Tractors

selling on these first 3 NEMF auctions ... don't miss it!

NEMF

Auction being conducted by order of
U.S. Bankruptcy Court, District of New Jersey,
Chapter 11 Case No. 19-12809-JKS.

TOLEDO, OH • MONDAY, JUNE 3, 2019 • 9:00 a.m.

NON-SLEEPER CONVENTIONAL TRACTORS

PETERBILT 337



2019 PETERBILT 337 Non-Sleeper Conventional, PACCAR PX-9 Engine, 330 H.P., 3000HS Allison Automatic Transmission, 23,000 Lb. Rear End, **Single Axle**, 4.78 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Chrome Bumper, 100 Gallon Aluminum Fuel Tank, Horizontal Exhaust, Stainless Steel Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 176 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

FREIGHTLINER COLUMBIAs

TWO MATCHED 2017 FREIGHTLINERS

2017 FREIGHTLINER CL120 Columbia Non-Sleeper Conventional, **Glider Kit**, Cummins ISM Engine, 370 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.90 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Stationary 5th, 172 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2017 FREIGHTLINER



2017 FREIGHTLINER CL120 Columbia Non-Sleeper Conventional, **Glider Kit**, Cummins ISM Engine, 370 H.P., Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, 3.90 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Stationary 5th, 170 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

FREIGHTLINER CASCADIAS

2017 FREIGHTLINER Cascadia113 Non-Sleeper Conventional, Detroit DD13 Engine, 410 H.P., Engine Brake, DT12-OB-1550 HD Transmission, 40,000 Lb. Rear Ends, 3.08 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Stationary 5th, 167 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2016 FREIGHTLINER



FREIGHTLINER M2 106

2016 FREIGHTLINER



2016 FREIGHTLINER M2 106 Non-Sleeper Conventional, Cummins ISM Engine, 330 H.P., 10 Speed Transmission, 23,000 Lb. Rear End, **Single Axle**, 4.30 Ratio, Spring Suspension, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Horizontal Exhaust, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Adjustable 5th, 152 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

VOLVO VNM42Ts

2006 VOLVO



EIGHT MATCHED 2006 VOLVOS

2006 VOLVO VNM42T Non-Sleeper Conventional, Volvo VED12 Engine, 395 H.P., Engine Brake, RTO-14910B-DM2 Transmission, 23,000 Lb. Rear End, **Single Axle**, 3.58 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Roof Air Fairing, Quarter Fenders, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Adjustable 5th, 154 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels



2017 FREIGHTLINER CL120 Columbia Non-Sleeper Conventional, **Glider Kit**, Cummins ISM Engine, 370 H.P., Engine Brake, 10 Speed Transmission, 21,000 Lb. Rear End, **Single Axle**, 3.90 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, 80 Gallon Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Stationary 5th, 154 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

2016 FREIGHTLINER Columbia Non-Sleeper Conventional, Cummins ISM Engine, 10 Speed Transmission, **Single Axle**, Spring Suspension, Dual Aluminum Fuel Tanks, Single Stack, 154 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

VOLVO VNM 610

2014 VOLVO VNM 610 Conventional, Volvo D13 Engine, 425 H.P., Engine Brake, FRO-15210B Transmission, 40,000 Lb. Rear Ends, 3.42 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Quarter Fenders, Deluxe Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, Air Slide 5th, 215 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

VOLVO VNM64Ts

2005 VOLVO



2005 VOLVO VNM64T Non-Sleeper Conventional, Volvo VED12 Engine, 365 H.P., Engine Brake, FRO-13210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 164 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

NON-RUNNER

2005 VOLVO VNM64T Non-Sleeper Conventional, **Non-Runner**, Volvo VED12 Engine, 365 H.P., Engine Brake, FRO-13210C Transmission, 40,000 Lb. Rear Ends, 3.58 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Stack, Stainless Steel Exterior Visor, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Air Slide 5th, 160 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

MACK CH613

2003 MACK CH613 Non-Sleeper Conventional, Mack E7 E-Tech Engine, 400 H.P., Engine Brake, RTO-14910C-AS2 Transmission, 40,000 Lb. Rear Ends, 3.90 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt Steering Wheel, Cruise Control, Adjustable 5th, 164 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

MACK CH612s



SIX MATCHED 2001 MACKS

2001 MACK CH612 Non-Sleeper Conventional, Mack E7 E-Tech Engine, 350 H.P., Engine Brake, RTAO-14710C-AS Transmission, 23,000 Lb. Rear End, **Single Axle**, 3.90 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Fuel Tanks, Single Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Adjustable 5th, 144 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

2001 MACK CH612 Non-Sleeper Conventional, Mack E7 E-Tech Engine, 350 H.P., Engine Brake, 10 Speed Transmission, 23,000 Lb. Rear End, **Single Axle**, 3.90 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Fuel Tanks, Single Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, Adjustable 5th, 144 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

1994 MACK CH612 Non-Sleeper Conventional, Mack E7 Engine, 300 H.P., RTX-14710C Transmission, 23,000 Lb. Rear End, **Single Axle**, 3.70 Ratio, Spring Suspension, Hydraulic Power Steering, Dual Fuel Tanks, Horizontal Exhaust, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Stationary 5th, 146 Inch Wheel Base, 22.5 Low Profile Tires, Spoke Wheels

MACK CXU613s

THREE MATCHED 2014 MACKS

3 2014 MACK CXU613 Non-Sleeper Conventional, Mack MP8 Engine, 415 H.P., Engine Brake, FRO-16210B Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 178 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels



2014 MACK

2014 MACK CXU613 Non-Sleeper Conventional, Mack MP8 Engine, 415 H.P., Engine Brake, FRO-16210B Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 178 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

THREE MATCHED 2013 MACKS

3 2013 MACK CXU613 Non-Sleeper Conventional, Mack MP8 Engine, 415 H.P., Engine Brake, FRO-16210B Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 178 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

FORKLIFTS

2011 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

TWO MATCHED 2007 NISSANS

2 2007 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

NON-RUNNERS

2015 NISSAN P1F2A25LV Forklift, **Non-Runner**, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

2012 NISSAN P1F2A25LV Forklift, **Non-Runner**, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

TWO MATCHED 2016 NISSANS

2 2016 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

THREE MATCHED 2015 NISSANS

3 2015 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

THREE MATCHED 2014 NISSANS

3 2014 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

2005 NISSAN Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

2005 MITSUBISHI Forklift, LP Engine, 5,000 Lb. Capacity, 3 Stage Mast

2012 MACK



TWO MATCHED 2012 MACKS

2 2012 MACK CXU613 Non-Sleeper Conventional, Mack MP7 Engine, 395 H.P., Engine Brake, FRO-15210B Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 174 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

FOUR MATCHED 2012 MACKS

4 2012 MACK CXU613 Non-Sleeper Conventional, Mack MP7 Engine, 395 H.P., Engine Brake, FRO-15210B Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 178 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

NON-RUNNER

2012 MACK CXU613 Conventional, **Non-Runner**, Mack MP7 Engine, 395 H.P., Engine Brake, FRO-15210B Transmission, 40,000 Lb. Rear Ends, 3.55 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Dual Aluminum Fuel Tanks, Single Chrome Stack, Roof Air Fairing, Quarter Fenders, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Adjustable 5th, 178 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

FORKLIFTS



THREE MATCHED 2018 NISSANS

3 2018 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

2017 NISSAN P1F2A25LV Forklift, LP Engine, 5,000 Lb. Capacity, 2 Stage Mast, 80 Inch Lift Height, 42 Inch Forks

STRAIGHT TRUCKS

HINO 155s



16 FT. VAN BODIES TWO MATCHED 2019 HINOS

2 2019 HINO 155 Non-Sleeper Cabover Straight Truck, Hino Diesel Engine, 210 H.P., 6 Speed Automatic Transmission, Single Axle, 4.62 Ratio, Spring Suspension, Hydraulic Power Steering, AM/FM Radio, Compact Disc Player, Tilt Steering Wheel, Cruise Control, Power Windows, Morgan 16 Ft. Van Body, Rollup Door, **2,500 Lb. Liftgate**, 148 Inch Wheel Base, 17.5 Inch Tires, Disc Wheels

2018 HINO 155 Non-Sleeper Cabover Straight Truck, Hino Diesel Engine, 210 H.P., 6 Speed Automatic Transmission, Single Axle, 4.62 Ratio, Spring Suspension, Hydraulic Power Steering, AM/FM Radio, Compact Disc Player, Tilt Steering Wheel, Cruise Control, Power Windows, Morgan 16 Ft. Van Body, Rollup Door, **2,500 Lb. Liftgate**, 150 Inch Wheel Base, 17.5 Inch Tires, Disc Wheels

24 FT. ALUMINUM VAN BODY

2007 INTERNATIONAL 4300 Conventional Straight Truck, Diesel DT466 Engine, 225 H.P., FO-5406B-DM3 AutoShift Transmission, 21,000 Lb. Rear End, Single Axle, 5.29 Ratio, Air Ride Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Horizontal Exhaust, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, 24 Ft. Aluminum Van Body, Composite Lined, Scuff Pate, Threshold Plate, E-Track, Stainless Steel Door Frame, Rollup Door, **3,500 Lb. Liftgate**, 255 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

LOADERS



1993 CATERPILLAR

1993 CAT-ERPILLAR IT28B Front End Loader

1980 OWATONNA 880 Front End Loader, Diesel Engine



1980 OWATONNA

PETERBILT 337s



26 FT. ALUMINUM VAN BODIES THREE MATCHED 2014 PETERBILTS

3 2014 PETERBILT 337 Non-Sleeper Conventional Straight Truck, PACCAR PX-7 Engine, 220 H.P., Allison Automatic Transmission, 23,000 Lb. Rear End, Single Axle, 5.29 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Horizontal Exhaust, Stainless Steel Exterior Visor, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, 26 Ft. Aluminum Van Body, Rollup Door, **3,500 Lb. Liftgate**, 276 Inch Wheel Base, 22.5 Low Profile Tires, Disc Wheels

26 FT. VAN BODY

2014 PETERBILT 337 Non-Sleeper Conventional Straight Truck, PACCAR PX-7 Engine, 220 H.P., Allison Automatic Transmission, 23,000 Lb. Rear End, Single Axle, 5.29 Ratio, Air Ride Suspension, Dump Valve, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Stainless Steel Exterior Visor, AM/FM Radio, Tilt And Telescoping Steering Wheel, Cruise Control, Power Right Hand Window, 26 Ft. Van Body, Rollup Door, **Liftgate**, 275 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

PLOW TRUCK



1989 MACK

1989 MACK R685T Conventional Plow Truck, 10 Ft. Steel Salt Spreader Box, 11 Ft. Blade., 6 Speed Transmission, Single Axle, Spring Suspension, 164 Inch Wheel Base

VEHICLES

1993 GMC Sierra 4x4 Pickup, Gas Engine, Snow Blade, Salt Spreader



FORD FUSIONS

2017 FORD Fusion Car, Gas 4 Cylinder Engine, Automatic Transmission, Spring Suspension, Power Steering, Air Conditioned, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 235/50/R17 Tires

2016 FORD Fusion Car, Gas 4 Cylinder Engine, Automatic Transmission, Spring Suspension, Power Steering, Air Conditioned, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 235/50/R17 Tires

2015 FORD Fusion Car, Gas 4 Cylinder Engine, Automatic Transmission, Spring Suspension, Power Steering, Air Conditioned, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 235/50/R17 Tires

2013 FORD Fusion Car, Gas 4 Cylinder Engine, Automatic Transmission, Spring Suspension, Power Steering, Air Conditioned, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 235/50/R17 Tires

2007 FORD Fusion Car, Gas 6 Cylinder Engine, Automatic Transmission, Spring Suspension, Power Steering, Air Conditioned, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 205/50/R16 Tires

2007 FORD Taurus Car, Gas 4 Cylinder Engine, Automatic Transmission, Spring Suspension, Power Steering, Air Conditioned, Horizontal Exhaust, Custom Interior, AM/FM Radio, Compact Disc Player, Tilt And Telescoping Steering Wheel, Cruise Control, Power Windows, 235/50/R17 Tires, Disc Wheels

YARD HOSTLER

2012 CAPACITY TJ5000 Yard Hostler, Automatic Transmission, Single Axle, Spring Suspension, Hydraulic Power Steering, Air Conditioned, Aluminum Fuel Tank, Single Stack, AM/FM Radio, Compact Disc Player, Tilt Steering Wheel, Cruise Control, 116 Inch Wheel Base, 22.5 Low Profile Tires, Aluminum Disc Wheels

CONVERTER GEAR

TWO MATCHED 1995 STRICKS

2 1995 STRICK Converter Gear, Single Axle, Spring Suspension, 22.5 Low Profile Tires, Disc Wheels

SHOP, DOCK, OFFICE & OS&D

There will be hundreds of lots of shop, dock, office and over stock and damaged goods selling from each auction site location - please check our website at www.taylorandmartin.com - go to the individual auction and look for an attached shop catalog.

EXTERIOR POST VANS



2002 STRICK

53 FT. x 102 INCHES WIDE

2002 STRICK Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2001 FRUEHAUF Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

TWO MATCHED 1998 STRICKS

2 1998 STRICK Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1997 STRICK Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1997 STRICK Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Spoke Wheels

EXTERIOR POST VANS

SIX MATCHED 2000 FRUEHAUFS

6 2000 FRUEHAUF Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

FIVE MATCHED 2000 STRICKS

5 2000 STRICK Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1999 STRICK Aluminum Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

1999 STRICK Exterior Post Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

28 FT. x 102 INCHES WIDE

1995 STRICK Aluminum Exterior Post Van Pup, 28 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Aluminum Floor, Logistics Equipped, Rollup Door, Spring Suspension, Single Axle, 22.5 Low Profile Tires, Disc Wheels

THREE MATCHED 1993 STRICKS

3 1993 STRICK Aluminum Exterior Post Van Pup, 28 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Aluminum Floor, Rollup Door, Spring Suspension, Single Axle, 22.5 Low Profile Tires, Disc Wheels

HEATED VANS



2015 HYUNDAI

53 FT. x 102 INCHES WIDE TWO MATCHED 2015 HYUNDAIS

2 2015 HYUNDAI Aluminum Insulated Heated Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Heater, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Insulated Roof, Logistics Equipped, Stainless Steel Door Frame, Rollup Door, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2001 STRICK Aluminum Insulated Heated Van, 53 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Heater, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Logistics Equipped, Stainless Steel Door Frame, Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

48 FT. x 102 INCHES WIDE

2006 GREAT DANE Aluminum Insulated Heated Van, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Heater, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Insulated Roof, Logistics Equipped, Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

2006 GREAT DANE Aluminum Insulated Heated Van, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Carrier Heater, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Insulated Roof, Logistics Equipped, Stainless Steel Door Frame, Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

THREE MATCHED 2006 WABASH

3 2006 WABASH Aluminum Insulated Heated Van, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Plywood Lined, Scuff Plate, Threshold Plate, Wood Floor, Insulated Roof, Logistics Equipped, Swing Doors, Spring Suspension, Sliding Tandem, 22.5 Low Profile Tires, Disc Wheels

STORAGE VANS

48 FT. x 102 INCHES WIDE

1996 STRICK Aluminum Storage Van, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Rollup Door, Spring Suspension, Spoke Wheels

1995 STRICK Aluminum Exterior Post Storage Van, 48 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Swing Doors, Spring Suspension, Spoke Wheels

28 FT. x 102 INCHES WIDE

1992 STRICK Aluminum Exterior Post Storage Van, 28 Ft. Long, 102 Inches Wide, 13 Ft. 6 Inches High, Aluminum Floor, Rollup Door, Single Axle, 22.5 Low Profile Tires, Disc Wheels

Trailer, Tandem Axle Trailer Running Gear